



6" COMPOSITE NAIL BASE INSULATION - SEE SPEC
 STANDING SEAM ON FULL COVERAGE ICE & WATER SHIELD
 ROOF EDGE TO BE A 8" S.I.P. TO MATCH COMPOSITE NAIL BASE INSULATION THICKNESS

1-1/2" POLYISOCYANURATE INSULATION R-6.25 PER INCH

CONDUIT ON TOP OF BEAM FOR PENDANT LIGHTS
 1-1/2" WOOD DECKING

SPRAY FOAM SEALED TO ROOF INSULATION

TOP OF WALL 127'-2"
 METAL ROOF EDGE

5/8" WOOD STRIP
 1/2" GWB W/ 1/8" PLASTER SKIM COAT
 1" FINISH FLOOR
 RADIANT TUBING SET IN GYP-CRETE
 1" HIGH DENSITY POLYISO W/ REFLECTIVE FOIL
 1 1/2" X 3 1/2" STRAPPING @ 12" O.C.
 SOUND DEADENING
 BB: (HOMASOTE)
 1 1/2" DECKING

JBOX
 CONDUIT IN CAVITY
 1/2" GWB W/ 1/8" PLASTER SKIM COAT
 2X STRAPPING

5/8" WOOD STRIP
 5/4" X 6" WOOD BASE (TYP)
 1" FINISH FLOOR
 3/4" DIAGONAL BOARD SUB-FLOOR
 RADIANT TUBING SET IN GYP-CRETE
 1 1/2" X 3 1/2" STRAPPING @ 12" O.C.
 1" HIGH DENSITY POLYISO W/ REFLECTIVE FOIL
 1 1/2" DECKING

3" NOM. SPRAY FOAM INSULATION
 1/2" GWB W/ 1/8" PLASTER SKIM COAT
 2X3 BLOCKING

TOP BLOCK TAPERED TO ALLOW CONCRETE BEARING FOR ABOVE GRADE WALLS

#4 @ 12" O.C.
 #5 @ 12" O.C. VERT.
 NOTE: MAXIMUM STONE VENEER HEIGHT NOT TO EXCEED 48"

2"X4" WOOD STUD SOFFIT

DATION DETAIL

SEALANT

4" REINFORCED CONC. SLAB
 1/2" INSULTARP-TAPE ALL JOINTS - TURN UP & SEAL @ FOUNDATION WALL
 8" MIN. CRUSHED STONE UNDER VAPOR BARRIER

TOP OF FOUNDATION DETAIL
 SCALE: 1 1/2"=1'-0"
 BASEMENT ELEV 992'-8"

100'-0" (DWG. C-1 REF: 992'-8")
 FLUID APPLIED ADHESIVE WATERPROOFING

107'-8" (DWG. C-1 REF: 1000'-4")
 6" X 3 1/2" X 1/2" GALV. ANGLE
 1/2" BOLT EMBEDDED 8" IN CONCRETE
 SPACED @ 24" O.C.
 REMOVE 6"X6" SQUARE OF DURISOL AT EACH BOLT LOCATION

108'-10" (DWG. C-1 REF: 1001'-6")
 2" GRANITE
 WARM-N-DRI 1-3/16" RIGID FIBERGLASS BOARD
 TUFF-N-DRI FLUID APPLIED ADHESIVE WATERPROOFING - CONNECTING FOUNDATION INSUL TO SPRAY FOAM INSULATION SYSTEM

107'-8" (DWG. C-1 REF: 1000'-4")
 6" X 3 1/2" X 1/2" GALV. ANGLE
 1/2" BOLT EMBEDDED 8" IN CONCRETE
 SPACED @ 24" O.C.
 REMOVE 6"X6" SQUARE OF DURISOL AT EACH BOLT LOCATION

107'-8" (DWG. C-1 REF: 1000'-4")
 6" X 3 1/2" X 1/2" GALV. ANGLE
 1/2" BOLT EMBEDDED 8" IN CONCRETE
 SPACED @ 24" O.C.
 REMOVE 6"X6" SQUARE OF DURISOL AT EACH BOLT LOCATION

107'-8" (DWG. C-1 REF: 1000'-4")
 6" X 3 1/2" X 1/2" GALV. ANGLE
 1/2" BOLT EMBEDDED 8" IN CONCRETE
 SPACED @ 24" O.C.
 REMOVE 6"X6" SQUARE OF DURISOL AT EACH BOLT LOCATION

107'-8" (DWG. C-1 REF: 1000'-4")
 6" X 3 1/2" X 1/2" GALV. ANGLE
 1/2" BOLT EMBEDDED 8" IN CONCRETE
 SPACED @ 24" O.C.
 REMOVE 6"X6" SQUARE OF DURISOL AT EACH BOLT LOCATION

107'-8" (DWG. C-1 REF: 1000'-4")
 6" X 3 1/2" X 1/2" GALV. ANGLE
 1/2" BOLT EMBEDDED 8" IN CONCRETE
 SPACED @ 24" O.C.
 REMOVE 6"X6" SQUARE OF DURISOL AT EACH BOLT LOCATION

107'-8" (DWG. C-1 REF: 1000'-4")
 6" X 3 1/2" X 1/2" GALV. ANGLE
 1/2" BOLT EMBEDDED 8" IN CONCRETE
 SPACED @ 24" O.C.
 REMOVE 6"X6" SQUARE OF DURISOL AT EACH BOLT LOCATION

107'-8" (DWG. C-1 REF: 1000'-4")
 6" X 3 1/2" X 1/2" GALV. ANGLE
 1/2" BOLT EMBEDDED 8" IN CONCRETE
 SPACED @ 24" O.C.
 REMOVE 6"X6" SQUARE OF DURISOL AT EACH BOLT LOCATION

107'-8" (DWG. C-1 REF: 1000'-4")
 6" X 3 1/2" X 1/2" GALV. ANGLE
 1/2" BOLT EMBEDDED 8" IN CONCRETE
 SPACED @ 24" O.C.
 REMOVE 6"X6" SQUARE OF DURISOL AT EACH BOLT LOCATION

107'-8" (DWG. C-1 REF: 1000'-4")
 6" X 3 1/2" X 1/2" GALV. ANGLE
 1/2" BOLT EMBEDDED 8" IN CONCRETE
 SPACED @ 24" O.C.
 REMOVE 6"X6" SQUARE OF DURISOL AT EACH BOLT LOCATION

107'-8" (DWG. C-1 REF: 1000'-4")
 6" X 3 1/2" X 1/2" GALV. ANGLE
 1/2" BOLT EMBEDDED 8" IN CONCRETE
 SPACED @ 24" O.C.
 REMOVE 6"X6" SQUARE OF DURISOL AT EACH BOLT LOCATION

107'-8" (DWG. C-1 REF: 1000'-4")
 6" X 3 1/2" X 1/2" GALV. ANGLE
 1/2" BOLT EMBEDDED 8" IN CONCRETE
 SPACED @ 24" O.C.
 REMOVE 6"X6" SQUARE OF DURISOL AT EACH BOLT LOCATION

04 ROOF EDGE DETAIL
 SCALE: 1 1/2"=1'-0"
 2ND FLR. ELEV. 119'-7 1/2"

03 FLOOR EDGE DETAIL
 SCALE: 1 1/2"=1'-0"

02 TOP OF FOUNDATION DETAIL
 SCALE: 1 1/2"=1'-0"
 BASEMENT ELEV 992'-8"

01 BOTTOM OF FOUNDATION DETAIL
 SCALE: 1 1/2"=1'-0"

REVISD SECTION
 DETAIL
 SCALE: 1"=1'-0"

TITLE

BANWASH ARCHITECTS

MODIFIED: 2&3/A4.01
 PROJ. NO. 570
 DATE 11.02.06

DWG. NO. SKA-6